Contents

The Journal of Clinical Investigation
July 1992, Volume 90, Number 1

Perspectives

Transforming growth factor-β in disease: the dark side of tissue repair. *W. A. Border and E. Ruoslahti* 1

Regular Articles

Human immunodeficiency virus–infected adherent cell-derived inhibitory factor (p29) inhibits normal T cell proliferation through decreased expression of high affinity interleukin-2 receptors and production of interleukin-2. *A. Ammar, Y. Sahraoui, A. Tsapis, A.-M. Bertoli, C. Jasmin, and V. Georgoulias* 8

Human enterocyte (Caco-2) migration is modulated in vitro by extracellular matrix composition and epidermal growth factor. *M. D. Basson, I. M. Modlin, and J. A. Madri* 15

Abnormal sympathetic overactivity evoked by insulin in the skeletal muscle of patients with essential hypertension. *G. Lembo, R. Napoli, B. Capaldo, V. Rendina, G. Iaccarino, M. Volpe, B. Trimarco, and L. Saccà* . . . 24

Molecular sieving of albumin by the ascending vasa recta wall. *T. L. Pallone* 30

Dog mastocytoma cells produce transforming growth factor beta$_1$. *D. W. Pennington, A. R. Lopez, P. S. Thomas, C. Peck, and W. M. Gold* 35

Adenosine triphosphate stimulates phosphoinositide metabolism, mobilizes intracellular calcium, and inhibits terminal differentiation of human epidermal keratinocytes. *S. Pillai and D. D. Bikle* 42

Apolipoprotein (a) gene accounts for greater than 90% of the variation in plasma lipoprotein (a) concentrations. *E. Boerwinkle, C. C. Leffert, J. Lin, C. Lackner, G. Chiesa, and H. H. Hobbs* 52

Multiple deletions of mitochondrial DNA in several tissues of a patient with severe retarded depression and familial progressive external ophthalmoplegia. *A. Suomalainen, A. Majander, M. Haltia, H. Somer, J. Lönnqvist, M.-L. Savontaus, and L. Peltonen* 61

Fibrinogen lima: a homozygous dysfibrinogen with an Aα-arginine-141 to serine substitution associated with extra N-glycosylation at Aα-asparagine-139. Impaired fibrin gel formation but normal fibrin-facilitated plasminogen activation catalyzed by tissue-type plasminogen activator. *H. Maekawa, K. Yamazumi, S.-i. Muramatsu, M. Kaneko, H. Hirata, N. Takahashi, C. L. Arocha-Piñango, S. Rodriguez, H. Nagy, J. L. Perez-Requejo, and M. Matsuda* 67

The loss of GLUT2 expression by glucose-unresponsive β cells of db/db mice is reversible and is induced by the diabetic environment. *B. Thorens, Y.-J. Wu, J. L. Leahy, and G. C. Weir* 77

Stimulus-dependent secretion of plasma proteins from human neutrophils. *N. Borregaard, L. Kjeldsen, K. Rygaard, L. Bastholm, M. H. Nielsen, H. Sengeløv, O. W. Bjerrum, and A. H. Johnsen* 86

Interactions of surfactant protein D with bacterial lipopolysaccharides. Surfactant protein D is an *Escherichia coli*–binding protein in bronchoalveolar lavage. *S.-F. Kuan, K. Rust, and E. Crouch* 97

Different localization of two types of endothelin receptor mRNA in microdissected rat nephron segments using reverse transcription and polymerase chain reaction assay. *Y. Terada, K. Tomita, H. Nonoguchi, and F. Marumo* . . 107

Thyroid hormone modulation of the hypothalamic growth hormone (GH)–releasing factor–pituitary GH axis in the rat. *N. Miki, M. Ono, N. Hizuka, T. Aoki, and H. Demura* 113

Nuclear expression of the 50- and 65-kD rel-related subunits of nuclear factor-κB is differentially regulated in human monocytic cells. *P. A. Kaufman, J. B. Weinberg, and W. C. Greene* 121

Only three mutations account for almost all defective alleles causing adenine phosphoribosyltransferase deficiency in Japanese patients. *N. Kamatani, M. Hakoda, S. Otsuka, H. Yoshikawa, and S. Kashiwazaki* 130

Glomerular actions of a free radical-generated novel prostaglandin, 8-epi-prostaglandin $F_{2\alpha}$, in the rat. Evidence for interaction with thromboxane A_2 receptors. *K. Takahashi, T. M. Nammour, M. Fukunaga, J. Ebert, J. D. Morrow, L. J. Roberts II, R. L. Hoover, and K. F. Badr* 136

Activin and inhibin in the human adrenal gland. Regulation and differential effects in fetal and adult cells. *S. J. Spencer, J. Rabinovici, S. Mesiano, P. C. Goldsmith, and R. B. Jaffe* 142

Identification of a genetic alteration in the code for bilirubin UDP-glucuronosyltransferase in the *UGT1* gene complex of a Crigler-Najjar type I patient. *J. K. Ritter, M. T. Yeatman, P. Ferreira, and I. S. Owens* 150

Detection of enteroviral RNA in idiopathic dilated cardiomyopathy and other human cardiac tissues. *L. M. Weiss, X.-F. Liu, K. L. Chang, and M. E. Billingham* 156

Identification of a common mutation in Finnish patients with nonketotic hyperglycinemia. *S. Kure, M. Takayanagi, K. Narisawa, K. Tada, and J. Leisti* 160

Autoantibodies associated with lupus induced by diverse drugs target a similar epitope in the (H2A-H2B)–DNA complex. *R. L. Rubin, S. A. Bell, and R. W. Burlingame* 165

Differential regulation of multiple hepatic protein tyrosine phosphatases in alloxan diabetic rats. *J. M. Boylan, D. L. Brautigan, J. Madden, T. Raven, L. Ellis, and P. A. Gruppuso* 174

Mineralocorticoid modulation of apical and basolateral membrane $H^+/OH^-/HCO_3^-$ transport processes in the rabbit inner stripe of outer medullary collecting duct. *S. R. Hays* 180

Integrin adhesion molecules in the human endometrium. Correlation with the normal and abnormal menstrual cycle. *B. A. Lessey, L. Damjanovich, C. Coutifaris, A. Castelbaum, S. M. Albelda, and C. A. Buck* 188

A T cell–dependent experimental liver injury in mice inducible by concanavalin A. *G. Tiegs, J. Hentschel, and A. Wendel* 196

Predominant activation and expansion of Vγ9-bearing γδT cells in vivo as well as in vitro in Salmonella infection. *T. Hara, Y. Mizuno, K. Takaki, H. Takada, H. Akeda, T. Aoki, M. Nagata, K. Ueda, G. Matsuzaki, Y. Yoshikai, and K. Nomoto* 204

Effect of in vitro metabolic acidosis on luminal Na^+/H^+ exchange and basolateral $Na^+:HCO_3^-$ cotransport in rabbit kidney proximal tubules. *M. Soleimani, G. L. Bizal, T. D. McKinney, and Y. J. Hattabaugh* 211

The familial hypercholesterolemia (FH)–North Karelia mutation of the low density lipoprotein receptor gene deletes seven nucleotides of exon 6 and is a common cause of FH in Finland. *U.-M. Koivisto, H. Turtola, K. Aalto-Setälä, B. Top, R. R. Frants, P. T. Kovanen, A.-C. Syvänen, and K. Kontula* 219

The B7/BB1 antigen provides one of several costimulatory signals for the activation of $CD4^+$ T lymphocytes by human blood dendritic cells in vitro. *J. W. Young, L. Koulova, S. A. Soergel, E. A. Clark, R. M. Steinman, and B. Dupont* 229

Molecular basis of fibrinogen Naples associated with defective thrombin binding and thrombophilia. Homozygous substitution of Bβ 68 Ala → Thr. *J. Koopman, F. Haverkate, S. T. Lord, J. Grimbergen, and P. M. Mannucci* 238

Rapid Publications

Transplantation of thymic autoimmune microenvironment to severe combined immunodeficiency mice. A new model of myasthenia gravis. *S. Schönbeck, F. Padberg, R. Hohlfeld, and H. Wekerle* 245

Human hematopoietic stem cell adherence to cytokines and matrix molecules. *M. W. Long, R. Briddell, A. W. Walter, E. Bruno, and R. Hoffman* 251

Modification of the apolipoprotein B gene in HepG2 cells by gene targeting. *R. V. Farese, Jr., L. M. Flynn, and S. G. Young* 256

Recombinant interleukin-12 suppresses the synthesis of immunoglobulin E by interleukin-4 stimulated human lymphocytes. *M. Kiniwa, M. Gately, U. Gubler, R. Chizzonite, C. Fargeas, and G. Delespesse* 262

Induction of Heme oxygenase is a rapid, protective response in rhabdomyolysis in the rat. *K. A. Nath, G. Balla, G. M. Vercellotti, J. Balla, H. S. Jacob, M. D. Levitt, and M. E. Rosenberg* 267

Expression of a missense mutation in the messenger RNA for β-myosin heavy chain in myocardial tissue in hypertrophic cardiomyopathy. *M. B. Perryman, Q.-t. Yu, A. J. Marian, A. Mares, Jr., G. Czernuszewicz, J. Ifegwu, R. Hill, and R. Roberts* 271

Chronic blockade of nitric oxide synthesis in the rat produces systemic hypertension and glomerular damage. *C. Baylis, B. Mitruka, and A. Deng* 278

Human hepatic lipocytes synthesize tissue inhibitor of metalloproteinases-1. Implications for regulation of matrix degradation in liver. *J. P. Iredale, G. Murphy, R. M. Hembry, S. L. Friedman, and M. J. P. Arthur* . . . 282

Adenine nucleotides stimulate migration in wounded cultures of kidney epithelial cells. *S. Kartha and F. G. Toback* 288

Correction 293

Correction 295

July Author Index 297

Contents

The Journal of Clinical Investigation
August 1992, Volume 90, Number 2

Perspectives

Receptor guanylyl cyclases. *S. K.-F. Wong and D. L. Garbers* 299

Regular Articles

An unusual splicing mutation in the *HEXB* gene is associated with dramatically different phenotypes in patients from different racial backgrounds. *B. McInnes, M. Potier, N. Wakamatsu, S. B. Melancon, M. H. Klavins, S. Tsuji, and D. J. Mahuran* 306

Deficiency of coagulation Factor XIII A subunit caused by the dinucleotide deletion at the 5′ end of exon III. *T. Kamura, T. Okamura, M. Murakawa, H. Tsuda, T. Teshima, T. Shibuya, M. Harada, and Y. Niho* . . . 315

Preservation of insulin mRNA levels and insulin secretion in HIT cells by avoidance of chronic exposure to high glucose concentrations. *R. P. Robertson, H.-J. Zhang, K. L. Pyzdrowski, and T. F. Walseth* 320

Restricted heterogeneity of T cell receptor transcripts in rheumatoid synovium. *W. V. Williams, Q. Fang, D. Demarco, J. VonFeldt, R. B. Zurier, and D. B. Weiner* 326

A novel lymphoproliferative/autoimmune syndrome resembling murine *lpr/gld* disease. *M. C. Sneller, S. E. Straus, E. S. Jaffe, J. S. Jaffe, T. A. Fleisher, M. Stetler-Stevenson, and W. Strober* 334

Retroviral-mediated transfer of the human glucocerebrosidase gene into cultured Gaucher bone marrow. *J. A. Nolta, X. J. Yu, I. Bahner, and D. B. Kohn* 342

Effects of atrial natriuretic peptide and vasopressin on chloride transport in long- and short-looped medullary thick ascending limbs. *H. Nonoguchi, K. Tomita, and F. Marumo* 349

Role of β_1 and β_2 integrins in the adhesion of human $CD34^{hi}$ stem cells to bone marrow stroma. *J. Teixidó, M. E. Hemler, J. S. Greenberger, and P. Anklesaria* . . . 358

Blockade of cardiac sodium channels. Competition between the permeant ion and antiarrhythmic drugs. *M. J. Barber, D. J. Wendt, C. F. Starmer, and A. O. Grant* 368

Suppression of metalloproteinase biosynthesis in human alveolar macrophages by interleukin-4. *S. Lacraz, L. Nicod, B. Galve-de Rochemonteix, C. Baumberger, J.-M. Dayer, and H. G. Welgus* 382

Left ventricular systolic and diastolic dysfunction after infusion of tumor necrosis factor-α in conscious dogs. *F. D. Pagani, L. S. Baker, C. Hsi, M. Knox, M. P. Fink, and M. S. Visner* 389

Experimental allergic encephalomyelitis in cynomolgus monkeys. Quantitation of T cell responses in peripheral blood. *L. Massacesi, N. Joshi, D. Lee-Parritz, A. Rombos, N. L. Letvin, and S. L. Hauser* 399

Monoclonal antibody C242–*Pseudomonas* exotoxin A. A specific and potent immunotoxin with antitumor activity on a human colon cancer xenograft in nude mice. *W. Debinski, B. Karlsson, L. Lindholm, C. B. Siegall, M. C. Willingham, D. FitzGerald, and I. Pastan* 405

Evaluation in volunteers of a candidate live oral attenuated *Salmonella typhi* vector vaccine. *D. M. Hone, C. O. Tacket, A. M. Harris, B. Kay, G. Losonsky, and M. M. Levine* . . 412

Bronchodilator action of inhaled nitric oxide in guinea pigs. *P. M. Dupuy, S. A. Shore, J. M. Drazen, C. Frostell, W. A. Hill, and W. M. Zapol* 421

Mechanism of calcium transport stimulated by chlorothiazide in mouse distal convoluted tubule cells. *F. A. Gesek and P. A. Friedman* 429

Receptor-specific induction of insulin-like growth factor I in human monocytes by advanced glycosylation end product–modified proteins. *M. Kirstein, C. Aston, R. Hintz, and H. Vlassara* 439

Peptides related to the carboxyl terminus of human platelet Factor IV with antibacterial activity. *R. P. Darveau, J. Blake, C. L. Seachord, W. L. Cosand, M. D. Cunningham, L. Cassiano-Clough, and G. Maloney* 447

Vascular smooth muscle cell hypertrophy vs. hyperplasia. Autocrine transforming growth factor-β_1 expression determines growth response to angiotensin II. *G. H. Gibbons, R. E. Pratt, and V. J. Dzau* 456

Surface expression of Fcγ receptor III (CD16) on chemoattractant-stimulated neutrophils is determined by both surface shedding and translocation from intracellular storage compartments. *M. F. Tosi and H. Zakem* 462

Neutrophil attractant protein-1–immunoglobulin G immune complexes and free anti-NAP-1 antibody in normal human serum. *I. Sylvester, T. Yoshimura, M. Sticherling, J.-M. Schröder, M. Ceska, P. Peichl, and E. J. Leonard* 471

Cutaneous barrier perturbation stimulates cytokine production in the epidermis of mice. *L. C. Wood, S. M. Jackson, P. M. Elias, C. Grunfeld, and K. R. Feingold* 482

Monocyte chemoattractant protein-1 (MCP-1) expression in human articular cartilage. Induction by peptide regulatory factors and differential effects of dexamethasone and retinoic acid. *P. M. Villiger, R. Terkeltaub, and M. Lotz* 488

Roles of insulin resistance and β-cell dysfunction in dexamethasone-induced diabetes. *A. Ogawa, J. H. Johnson, M. Ohneda, C. T. McAllister, L. Inman, T. Alam, and R. H. Unger* 497

An interaction between the human cholesteryl ester transfer protein (CETP) and apolipoprotein A-I genes in transgenic mice results in a profound CETP-mediated depression of high density lipoprotein cholesterol levels. *T. Hayek, T. Chajek-Shaul, A. Walsh, L. B. Agellon, P. Moulin, A. R. Tall, and J. L. Breslow* 505

Herpes simplex virus-2 (HSV-2) type-specific antibody correlates of protection in infants exposed to HSV-2 at birth. *R. L. Ashley, J. Dalessio, S. Burchett, Z. Brown, S. Berry, K. Mohan, and L. Corey* 511

Serum cytokine profiles in experimental human malaria. Relationship to protection and disease course after challenge. *R. Harpaz, R. Edelman, S. S. Wasserman, M. M. Levine, J. R. Davis, and M. B. Sztein* 515

Insulin and glucocorticoid dependence of hepatic γ-glutamylcysteine synthetase and glutathione synthesis in the rat. Studies in cultured hepatocytes and in vivo. *S. C. Lu, J.-L. Ge, J. Kuhlenkamp, and N. Kaplowitz* . . 524

Release of soluble receptors for tumor necrosis factor (TNF) in relation to circulating TNF during experimental endotoxinemia. *G. A. Spinas, U. Keller, and M. Brockhaus* 533

Human neutrophil annexin I promotes granule aggregation and modulates Ca^{2+}-dependent membrane fusion. *J. W. Francis, K. J. Balazovich, J. E. Smolen, D. I. Margolis, and L. A. Boxer* 537

Low- and high-frequency insulin secretion pulses in normal subjects and pancreas transplant recipients: role of extrinsic innervation. *G. E. Sonnenberg, R. G. Hoffmann, C. P. Johnson, and A. H. Kissebah* 545

Adult rat brain is sensitive to thyroid hormone. Regulation of RC3/neurogranin mRNA. *M. A. Iñiguez, A. Rodriguez-Peña, N. Ibarrola, G. Morreale de Escobar, and J. Bernal* 554

Cloning of a complementary DNA coding for the 100-kD antigenic protein of the PM-Scl autoantigen. *Q. Ge, M. B. Frank, C. O'Brien, and I. N. Targoff* 559

Interleukin-1 receptor antagonist in normal and psoriatic epidermis. *C. Hammerberg, W. P. Arend, G. J. Fisher, L. S. Chan, A. E. Berger, J. S. Haskill, J. J. Voorhees, and K. D. Cooper* 571

Disease expression and molecular genotype in congenital adrenal hyperplasia due to 21-hydroxylase deficiency. *P. W. Speiser, J. Dupont, D. Zhu, J. Serrat, M. Buegeleisen, M.-T. Tusie-Luna, N. Lesser, M. I. New, and P. C. White* 584

Endogenous cortisol regulates immunoglobulin E–dependent late phase reactions. *R. F. Herrscher, C. Kasper, and T. J. Sullivan* 596

Interaction between α_2-adrenergic and angiotensin II systems in the control of glomerular hemodynamics as assessed by renal micropuncture in the rat. *S. C. Thomson, F. B. Gabbai, B. J. Tucker, and R. C. Blantz* 604

Differing roles for platelet-activating factor during inflammation of the lung and subarachnoid space. The special case of *Streptococcus pneumoniae*. *C. Cabellos, D. E. MacIntyre, M. Forrest, M. Burroughs, S. Prasad, and E. Tuomanen* 612

Rapid Publications

Localization of cystic fibrosis transmembrane conductance regulator mRNA in human fetal lung tissue by in situ hybridization. *P. B. McCray, Jr., C. L. Wohlford-Lenane, and J. M. Snyder* 619

Widespread long-term gene transfer to mouse skeletal muscles and heart. *L. D. Stratford-Perricaudet, I. Makeh, M. Perricaudet, and P. Briand* 626

Evidence for reactive nitrogen intermediates in killing of staphylococci by human neutrophil cytoplasts. A new microbicidal pathway for polymorphonuclear leukocytes. *S. E. Malawista, R. R. Montgomery, and G. Van Blaricom* 631

Pentoxifylline inhibits interleukin-2–induced toxicity in C57BL/6 mice but preserves antitumor efficacy. *M. J. Edwards, B. T. Heniford, E. A. Klar, K. W. Doak, and F. N. Miller* 637

Fat-storing cells as liver-specific pericytes. Spatial dynamics of agonist-stimulated intracellular calcium transients. *M. Pinzani, P. Failli, C. Ruocco, A. Casini, S. Milani, E. Baldi, A. Giotti, and P. Gentilini* 642

Determinants of aortic cyclic guanosine monophosphate in hypertension induced by chronic inhibition of nitric oxide synthase. *J.-F. Arnal, L. Warin, and J.-B. Michel* 647

Absence of hereditary p53 mutations in 10 familial leukemia pedigrees. *C. A. Felix, D. D'Amico, T. Mitsudomi, M. M. Nau, F. P. Li, J. F. Fraumeni, Jr., D. E. Cole, J. McCalla, G. H. Reaman, J. Whang-Peng, T. Knutsen, J. D. Minna, and D. G. Poplack* 653

Polymerase chain reaction localization of constitutive nitric oxide synthase and soluble guanylate cyclase messenger RNAs in microdissected rat nephron segments. *Y. Terada, K. Tomita, H. Nonoguchi, and F. Marumo* 659

An intact cysteine-rich domain is required for dystrophin function. *R. D. Bies, C. T. Caskey, and R. Fenwick* . . . 666

Both immunity and hyperresponsiveness to *Pneumocystis carinii* result from transfer of $CD4^+$ but not $CD8^+$ T cells into severe combined immunodeficiency mice. *J. B. Roths and C. L. Sidman* 673

Nitric oxide production in host-versus-graft and graft-versus-host reactions in the rat. *J. M. Langrehr, N. Murase, P. M. Markus, X. Cai, P. Neuhaus, W. Schraut, R. L. Simmons, and R. A. Hoffman* 679

August Author Index 684

Contents

The Journal of Clinical Investigation
September 1992, Volume 90, Number 3

Perspectives

Molecular genetics of the cutaneous basement membrane zone. Perspectives on epidermolysis bullosa and other blistering skin diseases. *J. Uitto and A. M. Christiano* . . . 687

Regular Articles

The tissue distribution of tumor necrosis factor biosynthesis during endotoxemia. *B. P. Giroir, J. H. Johnson, T. Brown, G. L. Allen, and B. Beutler* . . . 693

Airway cooling and rewarming. The second reaction sequence in exercise-induced asthma. *I. A. Gilbert and E. R. McFadden, Jr.* . . . 699

Bromocriptine inhibits pro-opiomelanocortin mRNA and ACTH precursor secretion in small cell lung cancer cell lines. *W. E. Farrell, A. J. L. Clark, M. F. Stewart, S. R. Crosby, and A. White* . . . 705

Combined mannitol and deferoxamine therapy for myohemoglobinuric renal injury and oxidant tubular stress. Mechanistic and therapeutic implications. *R. A. Zager* . . . 711

Recognition by recombinant autoimmune thyroid disease-derived Fab fragments of a dominant conformational epitope on human thyroid peroxidase. *S. Portolano, G. D. Chazenbalk, P. Seto, J. S. Hutchison, B. Rapoport, and S. M. McLachlan* . . . 720

Endothelium-dependent inhibition of Na^+-K^+ ATPase activity in rabbit aorta by hyperglycemia. Possible role of endothelium-derived nitric oxide. *S. Gupta, I. Sussman, C. S. McArthur, K. Tornheim, R. A. Cohen, and N. B. Ruderman* . . . 727

Intracellular ATP can regulate afferent arteriolar tone via ATP-sensitive K^+ channels in the rabbit. *J. N. Lorenz, J. Schnermann, F. C. Brosius, J. P. Briggs, and P. B. Furspan* 733

Prevention of diabetes in nonobese diabetic mice by dendritic cell transfer. *M. J. Clare-Salzler, J. Brooks, A. Chai, K. Van Herle, and C. Anderson* . . . 741

On the mechanism of parathyroid hormone stimulation of calcium uptake by mouse distal convoluted tubule cells. *F. A. Gesek and P. A. Friedman* . . . 749

Platelet-activating factor–mediated transmembrane signaling in human B lymphocytes is regulated through a pertussis- and cholera toxin–sensitive pathway. *B. D. Mazer, H. Sawami, A. Tordai, and E. W. Gelfand* . . . 759

Angiotensin II receptor blockade limits glomerular injury in rats with reduced renal mass. *R. A. Lafayette, G. Mayer, S. K. Park, and T. W. Meyer* . . . 766

Enhanced production of monocyte chemoattractant protein-1 in rheumatoid arthritis. *A. E. Koch, S. L. Kunkel, L. A. Harlow, B. Johnson, H. L. Evanoff, G. K. Haines, M. D. Burdick, R. M. Pope, and R. M. Strieter* . . . 772

Lower sedentary metabolic rate in women compared with men. *R. Ferraro, S. Lillioja, A.-M. Fontvieille, R. Rising, C. Bogardus, and E. Ravussin* . . . 780

Extensive posttranscriptional deletion of the coding sequences for part of nucleotide-binding fold 1 in respiratory epithelial mRNA transcripts of the cystic fibrosis transmembrane conductance regulator gene is not associated with the clinical manifestations of cystic fibrosis. *C.-S. Chu, B. C. Trapnell, S. M. Curristin, G. R. Cutting, and R. G. Crystal* . . . 785

Anoxia-hyperoxia induces monocyte-derived interleukin-8. *A. P. Metinko, S. L. Kunkel, T. J. Standiford, and R. M. Strieter* . . . 791

Molecular genetics of steroid 5α-reductase 2 deficiency. *A. E. Thigpen, D. L. Davis, A. Milatovich, B. B. Mendonca, J. Imperato-McGinley, J. E. Griffin, U. Francke, J. D. Wilson, and D. W. Russell* . . . 799

A fatty neuropeptide. Potential drug for noninvasive impotence treatment in a rat model. *I. Gozes and M. Fridkin* 810

Differential $pp60^{c\text{-}src}$ activity in well and poorly differentiated human colon carcinomas and cell lines. *T. K. Weber, G. Steele, and I. C. Summerhayes* . . . 815

Diminished *Clostridium difficile* toxin A sensitivity in newborn rabbit ileum is associated with decreased toxin A receptor. *R. Eglow, C. Pothoulakis, S. Itzkowitz, E. J. Israel, C. J. O'Keane, D. Gong, N. Gao, Y. L. Xu, W. A. Walker, and J. T. LaMont* . . . 822

Regulation of Ca^{2+} influx in myeloid cells. Role of plasma membrane potential, inositol phosphates, cytosolic free $[Ca^{2+}]$, and filling state of intracellular Ca^{2+} stores. *N. Demaurex, W. Schlegel, P. Varnai, G. Mayr, D. P. Lew, and K.-H. Krause* . . . 830

Transfection of a glycosylated phosphatidylinositol-anchored folate-binding protein complementary DNA provides cells with the ability to survive in low folate medium. *C. A. Luhrs, C. A. Raskin, R. Durbin, B. Wu, E. Sadasivan, W. McAllister, and S. P. Rothenberg* . . . 840

Mechanisms whereby extracellular adenosine 3',5'-monophosphate inhibits phosphate transport in cultured opossum kidney cells and in rat kidney. Physiological implication. *G. Friedlander, S. Couette, C. Coureau, and C. Amiel* . . . 848

Disorders of bile acid metabolism in cholesterol gallstone disease. *F. Berr, E. Pratschke, S. Fischer, and G. Paumgartner* 859

Electroneutral K^+/HCO_3^- cotransport in cells of medullary thick ascending limb of rat kidney. *F. Leviel, P. Borensztein, P. Houillier, M. Paillard, and M. Bichara* . . . 869

Effects of interferon-γ on nitric oxide synthase activity and endothelin-1 production by vascular endothelial cells. *S. Lamas, T. Michel, T. Collins, B. M. Brenner, and P. A. Marsden* . . . 879

Leukemia inhibitory factor is expressed in cartilage and synovium and can contribute to the pathogenesis of arthritis. *M. Lotz, T. Moats, and P. M. Villiger* . . . 888

The K1 capsule is the critical determinant in the development of *Escherichia coli* meningitis in the rat. *K. S. Kim, H. Itabashi, P. Gemski, J. Sadoff, R. L. Warren, and A. S. Cross* . . . 897

Live *Borrelia burgdorferi* preferentially activate interleukin-1β gene expression and protein synthesis over the interleukin-1 receptor antagonist. *L. C. Miller, S. Isa, E. Vannier, K. Georgilis, A. C. Steere, and C. A. Dinarello* . . . 906

Serum neutralizing antibody response to the vacuolating cytotoxin of *Helicobacter pylori*. *T. L. Cover, P. Cao, U. K. Murthy, M. S. Sipple, and M. J. Blaser* . . . 913

Autoantibodies against the amino-terminal cadherin-like binding domain of pemphigus vulgaris antigen are pathogenic. *M. Amagai, S. Karpati, R. Prussick, V. Klaus-Kovtun, and J. R. Stanley* . . . 919

Expression of dihydropyridine receptor (Ca^{2+} channel) and calsequestrin genes in the myocardium of patients with end-stage heart failure. *T. Takahashi, P. D. Allen, R. V. Lacro, A. R. Marks, A. R. Dennis, F. J. Schoen, W. Grossman, J. D. Marsh, and S. Izumo* . . . 927

Percutaneous arterial gene transfer in a rabbit model. Efficiency in normal and balloon-dilated atherosclerotic arteries. *G. Leclerc, D. Gal, S. Takeshita, S. Nikol, L. Weir, and J. M. Isner* . . . 936

Control of human B cell tumor growth in severe combined immunodeficiency mice by monoclonal anti-B cell antibodies. *A. Durandy, N. Brousse, F. Rozenberg, G. De Saint Basile, A. M. Fischer, and A. Fischer* . . . 945

Mechanism of resistance to complement-mediated killing of bacteria encoded by the *Salmonella typhimurium* virulence plasmid gene *rck*. *E. J. Heffernan, S. Reed, J. Hackett, J. Fierer, C. Roudier, and D. Guiney* 953

Binding of uropathogenic *Escherichia coli* R45 to glycolipids extracted from vaginal epithelial cells is dependent on histo-blood group secretor status. *A. Stapleton, E. Nudelman, H. Clausen, S.-i. Hakomori, and W. E. Stamm* 965

Association of amino acid sequences in the HLA-DQB1 first domain with the antitopoisomerase I autoantibody response in scleroderma (progressive systemic sclerosis). *J. D. Reveille, E. Durban, M. J. MacLeod-St. Clair, R. Goldstein, R. Moreda, R. D. Altman, and F. C. Arnett* 973

Cultured human synovial fibroblasts rapidly metabolize kinins and neuropeptides. *J. M. Bathon, D. Proud, S. Mizutani, and P. E. Ward* 981

Molecular cloning and preliminary characterization of a novel cytoplasmic antigen recognized by myasthenia gravis sera. *T. Gordon, B. Grove, J. C. Loftus, T. O'Toole, R. McMillan, J. Lindstrom, and M. H. Ginsberg* 992

Regulation of catalase in *Neisseria gonorrhoeae*. Effects of oxidant stress and exposure to human neutrophils. *H.-y. Zheng, D. J. Hassett, K. Bean, and M. S. Cohen* . . . 1000

Synthesis and release of interleukin 1 by reoxygenated human mononuclear phagocytes. *S. Koga, S. Ogawa, K. Kuwabara, J. Brett, J. A. Leavy, J. Ryan, Y. Koga, J. Plocinski, W. Benjamin, D. K. Burns, and D. Stern* 1007

Expression and developmental regulation of Na^+, K^+ adenosine triphosphatase in the rat small intestine. *B. V. Zemelman, W. A. Walker, and S.-h. W. Chu* 1016

Organ distribution of the three rat endothelin messenger RNAs and the effects of ischemia on renal gene expression. *J. D. Firth and P. J. Ratcliffe* 1023

Genetic linkage of recessive dystrophic epidermolysis bullosa to the type VII collagen gene. *A. Hovnanian, P. Duquesnoy, C. Blanchet-Bardon, R. G. Knowlton, S. Amselem, M. Lathrop, L. Dubertret, J. Uitto, and M. Goossens* 1032

Antibodies to T- and L-isoforms of the cytoskeletal protein, fimbrin, in patients with systemic lupus erythematosus. *E. C. De Mendonca Neto, A. Kumar, N. A. Shadick, A.-M. Michon, P. Matsudaira, R. B. Eaton, P. Kumar, and P. H. Schur* 1037

Messenger RNA expression and synthesis of endothelin-1 along rat nephron segments. *K. Ujiie, Y. Terada, H. Nonoguchi, M. Shinohara, K. Tomita, and F. Marumo* 1043

Mucopolysaccharidosis type IVA. *N*-acetylgalactosamine-6-sulfate sulfatase exonic point mutations in classical Morquio and mild cases. *S. Fukuda, S. Tomatsu, M. Masue, K. Sukegawa, H. Iwata, T. Ogawa, Y. Nakashima, T. Hori, A. Yamagishi, Y. Hanyu, K. Morooka, T. Kiman, T. Hashimoto, and T. Orii* 1049

Interleukin-7 is a growth factor for Sézary lymphoma cells. *A. Dalloul, L. Laroche, M. Bagot, M. D. Mossalayi, C. Fourcade, D. J. Thacker, D. E. Hogge, H. Merle-Béral, P. Debré, and C. Schmitt* 1054

Purification and partial sequencing of the nuclear autoantigen RA33 shows that it is indistinguishable from the A2 protein of the heterogeneous nuclear ribonucleoprotein complex. *G. Steiner, K. Hartmuth, K. Skriner, I. Maurer-Fogy, A. Sinski, E. Thalmann, W. Hassfeld, A. Barta, and J. Smolen* 1061

Enhanced membrane binding of autoantibodies to cultured keratinocytes of systemic lupus erythematosus patients after ultraviolet B/ultraviolet A irradiation. *T. D. Golan, K. B. Elkon, A. E. Gharavi, and J. G. Krueger* 1067

Cellular immune reactivity to recombinant OspA and flagellin from *Borrelia burgdorferi* in patients with Lyme borreliosis. Complexity of humoral and cellular immune responses. *A. Krause, G. R. Burmester, A. Rensing, C. Schoerner, U. E. Schaible, M. M. Simon, P. Herzer, M. D. Kramer, and R. Wallich* 1077

Phagocytosis of unopsonized *Pseudomonas aeruginosa* by murine macrophages is a two-step process requiring glucose. *D. P. Speert and S. Gordon* 1085

Cell retargeting by bispecific monoclonal antibodies. Evidence of bypass of intratumor susceptibility to cell lysis in human melanoma. *P. Nisticò, R. Mortarini, L. B. De Monte, A. Mazzocchi, M. Mariani, F. Malavasi, G. Parmiani, P. G. Natali, and A. Anichini* 1093

Rapid Publications

Lupus anticoagulant activity of autoimmune antiphospholipid antibodies is dependent upon β_2-glycoprotein I. *R. A. S. Roubey, C. W. Pratt, J. P. Buyon, and J. B. Winfield* 1100

Induction of antiphospholipid autoantibodies by immunization with β2 glycoprotein I (apolipoprotein H). *A. E. Gharavi, L. R. Sammaritano, J. Wen, and K. B. Elkon* 1105

Advanced glycosylation endproducts block the antiproliferative effect of nitric oxide. Role in the vascular and renal complications of diabetes mellitus. *M. Hogan, A. Cerami, and R. Bucala* 1110

Nitric oxide, an endothelial cell relaxation factor, inhibits neutrophil superoxide anion production via a direct action on the NADPH oxidase. *R. M. Clancy, J. Leszczynska-Piziak, and S. B. Abramson* 1116

Human bactericidal/permeability-increasing protein and a recombinant NH_2-terminal fragment cause killing of serum-resistant Gram-negative bacteria in whole blood and inhibit tumor necrosis factor release induced by the bacteria. *J. Weiss, P. Elsbach, C. Shu, J. Castillo, L. Grinna, A. Horwitz, and G. Theofan* 1122

Inhibition of the complement membrane attack complex by the galactose-specific adhesin of *Entamoeba histolytica*. *L. L. Braga, H. Ninomiya, J. J. McCoy, S. Eacker, T. Wiedmer, C. Pham, S. Wood, P. J. Sims, and W. A. Petri, Jr.* 1131

Lysophosphatidylcholine, a component of atherogenic lipoproteins, induces mononuclear leukocyte adhesion molecules in cultured human and rabbit arterial endothelial cells. *N. Kume, M. I. Cybulsky, and M. A. Gimbrone, Jr.* . . 1138

Endothelial production of C-type natriuretic peptide and its marked augmentation by transforming growth factor-β. Possible existence of "vascular natriuretic peptide system." *S. Suga, K. Nakao, H. Itoh, Y. Komatsu, Y. Ogawa, N. Hama, and H. Imura* 1145

The serpin-enzyme complex (SEC) receptor mediates the neutrophil chemotactic effect of α_{-1} antitrypsin-elastase complexes and amyloid-β peptide. *G. Joslin, G. L. Griffin, A. M. August, S. Adams, R. J. Fallon, R. M. Senior, and D. H. Perlmutter* 1150

Filamentous, helical, and tubular microstructures during cholesterol crystallization from bile. Evidence that cholesterol does not nucleate classic monohydrate plates. *F. M. Konikoff, D. S. Chung, J. M. Donovan, D. M. Small, and M. C. Carey* 1155

Hypertrophic gastropathy resembling Menetrier's disease in transgenic mice overexpressing transforming growth factor α in the stomach. *H. Takagi, C. Jhappan, R. Sharp, and G. Merlino* 1161

Antiatherogenic effects of L-arginine in the hypercholesterolemic rabbit. *J. P. Cooke, A. H. Singer, P. Tsao, P. Zera, R. A. Rowan, and M. E. Billingham* . . . 1168

September Author Index 1173

Contents

The Journal of Clinical Investigation
October 1992, Volume 90, Number 4

Presidential Address

Presidential Address to the American Society for Clinical Investigation, Baltimore, Maryland, 2–6 May 1992. *E. Benz* 1177

Regular Articles

A unique recombination event resulting in a *C4A•Q0,C4B•Q0* double null haplotype. *M. B. Fasano, J. A. Winkelstein, T. LaRosa, W. B. Bias, and R. H. McLean* 1180

Type 1 hereditary tyrosinemia. Evidence for molecular heterogeneity and identification of a causal mutation in a French Canadian patient. *D. Phaneuf, M. Lambert, R. Laframboise, G. Mitchell, F. Lettre, and R. M. Tanguay* 1185

Mitochondrial oxidative stress after carbon monoxide hypoxia in the rat brain. *J. Zhang and C. A. Piantadosi* 1193

Identification of a mutation in the coding sequence of the human thyroid peroxidase gene causing congenital goiter. *M. J. Abramowicz, H. M. Targovnik, V. Varela, P. Cochaux, L. Krawiec, M. A. Pisarev, F. V. E. Propato, G. Juvenal, H. A. Chester, and G. Vassart* 1200

Mannose-induced dysmorphogenesis of metanephric kidney. Role of proteoglycans and adenosine triphosphate. *Z. Z. Liu, F. A. Carone, T. M. Dalecki, B. Lelongt, E. I. Wallner, and Y. S. Kanwar* 1205

Combined enzyme defect of mitochondrial fatty acid oxidation. *S. Jackson, R. Singh Kler, K. Bartlett, H. Briggs, L. A. Bindoff, M. Pourfarzam, D. Gardner-Medwin, and D. M. Turnbull* 1219

Augmented production of heparin-binding mitogenic proteins by preadipocytes from massively obese persons. *K. Teichert-Kuliszewska, B. S. Hamilton, M. Deitel, and D. A. K. Roncari* 1226

Mechanisms underlying abnormal trafficking of malignant progenitors in chronic myelogenous leukemia. Decreased adhesion to stroma and fibronectin but increased adhesion to the basement membrane components laminin and collagen type IV. *C. M. Verfaillie, J. B. McCarthy, and P. B. McGlave* 1232

Epidermal keratinocyte-derived basophil promoting activity. Role of interleukin 3 and soluble CD23. *A. H. Dalloul, M. Arock, C. Fourcade, J. Y. Béranger, P. Jaffray, P. Debré, and M. D. Mossalayi* 1242

L-Arginine improves endothelium-dependent vasodilation in hypercholesterolemic humans. *M. A. Creager, S. J. Gallagher, X. J. Girerd, S. M. Coleman, V. J. Dzau, and J. P. Cooke* . . 1248

Effect of streptozotocin-induced diabetes on GLUT-4 phosphorylation in rat adipocytes. *N. Begum and B. Draznin* 1254

Prolonged exposure of human pancreatic islets to high glucose concentrations in vitro impairs the β-cell function. *D. L. Eizirik, G. S. Korbutt, and C. Hellerström* 1263

Human skin levels of retinoic acid and cytochrome P-450–derived 4-hydroxyretinoic acid after topical application of retinoic acid in vivo compared to concentrations required to stimulate retinoic acid receptor–mediated transcription in vitro. *E. A. Duell, A. Åström, C. E. M. Griffiths, P. Chambon, and J. J. Voorhees* 1269

Maturation of aldose reductase expression in the neonatal rat inner medulla. *G. J. Schwartz, B. J. Zavilowitz, A. D. Radice, A. Garcia-Perez, and J. M. Sands* 1275

Human intrahepatic biliary epithelial cells proliferate in vitro in response to human hepatocyte growth factor. *R. Joplin, T. Hishida, H. Tsubouchi, Y. Daikuhara, R. Ayres, J. M. Neuberger, and A. J. Strain* 1284

Dietary cholesterol increases transcription of the human cholesteryl ester transfer protein gene in transgenic mice. Dependence on natural flanking sequences. *X. C. Jiang, L. B. Agellon, A. Walsh, J. L. Breslow, and A. Tall* 1290

Modulation of airway inflammation in cystic fibrosis. In vivo suppression of interleukin-8 levels on the respiratory epithelial surface by aerosolization of recombinant secretory leukoprotease inhibitor. *N. G. McElvaney, H. Nakamura, P. Birrer, C. A. Hébert, W. L. Wong, M. Alphonso, J. B. Baker, M. A. Catalano, and R. G. Crystal* 1296

Cellular basis for blunted volume expansion natriuresis in experimental nephrotic syndrome. *J.-P. Valentin, C. Qiu, W. P. Muldowney, W.-Z. Ying, D. G. Gardner, and M. H. Humphreys* 1302

Degradation of endogenous bacterial cell wall polymers by the muralytic enzyme mutanolysin prevents hepatobiliary injury in genetically susceptible rats with experimental intestinal bacterial overgrowth. *S. N. Lichtman, E. E. Okoruwa, J. Keku, J. H. Schwab, and R. B. Sartor* 1313

Increased rate of gluconeogenesis in type II diabetes mellitus. A ^{13}C nuclear magnetic resonance study. *I. Magnusson, D. L. Rothman, L. D. Katz, R. G. Shulman, and G. I. Shulman* 1323

Inhibition of apical Na^+ channels in rabbit cortical collecting tubules by basolateral prostaglandin E_2 is modulated by protein kinase C. *B. N. Ling, K. E. Kokko, and D. C. Eaton* 1328

Neutrophil induced oxidative injury of cardiac myocytes. A compartmented system requiring CD11b/CD18-ICAM-1 adherence. *M. L. Entman, K. Youker, T. Shoji, G. Kukielka, S. B. Shappell, A. A. Taylor, and C. W. Smith* 1335

Major histocompatibility complex haplotypes and complement C4 alleles in systemic lupus erythematosus. Results of a multicenter study. *K. Hartung, M. P. Baur, R. Coldewey, M. Fricke, J. R. Kalden, H. J. Lakomek, H. H. Peter, D. Schendel, P. M. Schneider, S. A. Seuchter, W. Stangel, and H. R. G. Deicher* 1346

Overexpression of the epidermal growth factor receptor in human pancreatic cancer is associated with concomitant increases in the levels of epidermal growth factor and transforming growth factor alpha. *M. Korc, B. Chandrasekar, Y. Yamanaka, H. Friess, M. Buchler, and H. G. Beger* . . . 1352

Influence of experimental hyperglycemia on microvascular blood perfusion of pancreatic islet isografts. *M. D. Menger, P. Vajkoczy, R. Leiderer, S. Jäger, and K. Messmer* 1361

Cellular responses to steroids in the enhancement of Na^+ transport by rat collecting duct cells in culture. Differences between glucocorticoid and mineralocorticoid hormones. *J. R. Laplace, R. F. Husted, and J. B. Stokes* 1370

Spontaneous production of transforming growth factor-β2 by primary cultures of bronchial epithelial cells. Effects on cell behavior in vitro. *O. Sacco, D. Romberger, A. Rizzino, J. D. Beckmann, S. I. Rennard, and J. R. Spurzem* 1379

Glucose transport in human skeletal muscle cells in culture. Stimulation by insulin and metformin. *V. Sarabia, L. Lam, E. Burdett, L. A. Leiter, and A. Klip* 1386

Evidence for defective transmembrane signaling in B cells from patients with Wiskott–Aldrich syndrome. *H.-U. Simon, G. B. Mills, S. Hashimoto, and K. A. Siminovitch* 1396

Human melanoma cells derived from lymphatic metastases use integrin $\alpha_v\beta_3$ to adhere to lymph node vitronectin. *J. Nip, H. Shibata, D. J. Loskutoff, D. A. Cheresh, and P. Brodt* . . 1406

Eosinophils express interleukin 5 and granulocyte macrophage–colony-stimulating factor mRNA at sites of allergic inflammation in asthmatics. *D. H. Broide, M. M. Paine, and G. S. Firestein* 1414

Renal tubular responsiveness to atrial natriuretic peptide in sodium-retaining chronic caval dogs. A possible role for kinins and luminal actions of the peptide. *L. Legault, P. Cernacek, M. Levy, E. Maher, and D. Farber* 1425

Modulation of cisplatin sensitivity and growth rate of an ovarian carcinoma cell line by bombesin and tumor necrosis factor-α. *S. Isonishi, A. P. Jekunen, D. K. Hom, A. Eastman, P. S. Edelstein, F. B. Thiebaut, R. D. Christen, and S. B. Howell* 1436

Chronic hyperkalemia impairs ammonium transport and accumulation in the inner medulla of the rat. *T. D. DuBose, Jr., and D. W. Good* 1443

Rabbit aortic smooth muscle cells express inducible macrophage scavenger receptor messenger RNA that is absent from endothelial cells. *P. E. Bickel and M. W. Freeman* . . 1450

Endothelin inhibits vasopressin-stimulated water permeability in rat terminal inner medullary collecting duct. *S. P. Nadler, J. A. Zimpelmann, and R. L. Hébert* 1458

Characterization of the cDNA of a broadly reactive neutralizing human anti-gp120 monoclonal antibody. *W. A. Marasco, J. Bagley, C. Zani, M. Posner, L. Cavacini, W. A. Haseltine, and J. Sodroski* 1467

Human fibroblasts synthesize elevated levels of extracellular matrix proteins in response to interleukin 4. *A. E. Postlethwaite, M. A. Holness, H. Katai, and R. Raghow* 1479

Activation of infectious virus from latent human immunodeficiency virus infection of monocytes in vivo. *J. A. Mikovits, N. C. Lohrey, R. Schulof, J. Courtless, and F. W. Ruscetti* 1486

Cytokine regulation of human lung fibroblast hyaluronan (hyaluronic acid) production. Evidence for cytokine-regulated hyaluronan (hyaluronic acid) degradation and human lung fibroblast-derived hyaluronidase. *P. M. Sampson, C. L. Rochester, B. Freundlich, and J. A. Elias* 1492

Lipoprotein lipase–mediated uptake and degradation of low density lipoproteins by fibroblasts and macrophages. *S. C. Rumsey, J. C. Obunike, Y. Arad, R. J. Deckelbaum, and I. J. Goldberg* 1504

Thrombospondin cooperates with CD36 and the vitronectin receptor in macrophage recognition of neutrophils undergoing apoptosis. *J. Savill, N. Hogg, Y. Ren, and C. Haslett* 1513

Evidence for tissue-specific activation of renal angiotensinogen mRNA expression in chronic stable experimental heart failure. *H. Schunkert, J. R. Ingelfinger, A. T. Hirsch, S.-S. Tang, S. E. Litwin, C. E. Talsness, and V. J. Dzau* 1523

Isolation and partial characterization of a specific alpha-fetoprotein receptor on human monocytes. *Y. Suzuki, C. Q. Y. Zeng, and E. Alpert* 1530

On the interaction of IgG subclasses with the low affinity FcγRIIa (CD32) on human monocytes, neutrophils, and platelets. Analysis of a functional polymorphism to human IgG2. *P. W. H. I. Parren, P. A. M. Warmerdam, L. C. M. Boeije, J. Arts, N. A. C. Westerdaal, A. Vlug, P. J. A. Capel, L. A. Aarden, and J. G. J. van de Winkel* . . 1537

Effects of uninephrectomy on electrical properties of the cortical collecting duct from rabbit remnant kidneys. *S. Ebata, S. Muto, and Y. Asano* 1547

Myasthenia gravis. $CD4^+$ T epitopes on the embryonic γ subunit of human muscle acetylcholine receptor. *M. P. Protti, A. A. Manfredi, X. D. Wu, L. Moiola, M. W. M. Dalton, J. F. Howard, Jr., and B. M. Conti-Tronconi* 1558

Insulin resistance in obese Zucker rat (fa/fa) skeletal muscle is associated with a failure of glucose transporter translocation. *P. A. King, E. D. Horton, M. F. Hirshman, and E. S. Horton* 1568

Differential expression of Op18 phosphoprotein during human thymocyte maturation. *J. Gratiot-Deans, D. Keim, J. R. Strahler, L. A. Turka, and S. Hanash* 1576

Expression of transforming growth factor-β1 is increased in human vascular restenosis lesions. *S. Nikol, J. M. Isner, J. G. Pickering, M. Kearney, G. Leclerc, and L. Weir* . . . 1582

Granulosa cell-derived insulin-like growth factor (IGF) binding proteins are inhibitory to IGF-I hormonal action. Evidence derived from the use of a truncated IGF-I analogue. *E. Y. Adashi, C. E. Resnick, E. Ricciarelli, A. Hurwitz, E. Kokia, C. Tedeschi, L. Botero, E. R. Hernandez, R. G. Rosenfeld, C. Carlsson-Skwirut, and G. L. Francis* . . 1593

Rapid Publications

Neutrophil-dependent acute lung injury. Requirement for P-selectin (GMP-140). *M. S. Mulligan, M. J. Polley, R. J. Bayer, M. F. Nunn, J. C. Paulson, and P. A. Ward* . . 1600

Microfilament-dependent activation of $Na^+/K^+/2Cl^-$ cotransport by cAMP in intestinal epithelial monolayers. *J. B. Matthews, C. S. Awtrey, and J. L. Madara* 1608

Thrombin receptor expression in normal and atherosclerotic human arteries. *N. A. Nelken, S. J. Soifer, J. O'Keefe, T.-K. H. Vu, I. F. Charo, and S. R. Coughlin* 1614

Requirement of $pp60^{c\text{-}src}$ expression for osteoclasts to form ruffled borders and resorb bone in mice. *B. F. Boyce, T. Yoneda, C. Lowe, P. Soriano, and G. R. Mundy* 1622

Epiligrin, the major human keratinocyte integrin ligand, is a target in both an acquired autoimmune and an inherited subepidermal blistering skin disease. *N. Domloge-Hultsch, W. R. Gammon, R. A. Briggaman, S. G. Gil, W. G. Carter, and K. B. Yancey* 1628

October Author Index 1634

Correction 1635

Contents

The Journal of Clinical Investigation
November 1992, Volume 90, Number 5

Perspectives

Cancer risks from germline P53 mutations. *T. Frebourg and S. H. Friend* 1637

Regular Articles

Cytomegalovirus induction of tumor necrosis factor-α by human monocytes and mucosal macrophages. *P. D. Smith, S. S. Saini, M. Raffeld, J. F. Manischewitz, and S. M. Wahl* 1642

Modulation of transforming growth factor-β1 antiproliferative effects on endothelial cells by cysteine, cystine, and *N*-acetylcysteine. *S. K. Das, A. C. White, and B. L. Fanburg* . . 1649

Paradoxical withdrawal of reflex vasoconstriction as a cause of hemodialysis-induced hypotension. *R. L. Converse, Jr., T. N. Jacobsen, C. M. T. Jost, R. D. Toto, P. A. Grayburn, T. M. Obregon, F. Fouad-Tarazi, and R. G. Victor* 1657

Sporadic hypertrophic cardiomyopathy due to de novo myosin mutations. *H. Watkins, L. Thierfelder, D.-S. Hwang, W. McKenna, J. G. Seidman, and C. E. Seidman* 1666

Regulation of lipoprotein lipase in the diabetic rat. *K. Tavangar, Y. Murata, M. E. Pedersen, J. F. Goers, A. R. Hoffman, and F. B. Kraemer* 1672

Glutaric acidemia type II. Heterogeneity in β-oxidation flux, polypeptide synthesis, and complementary DNA mutations in the α subunit of electron transfer flavoprotein in eight patients. *E. Freneaux, V. C. Sheffield, L. Molin, A. Shires, and W. J. Rhead* 1679

Recruitment of CD11b/CD18 to the neutrophil surface and adherence-dependent cell locomotion. *B. J. Hughes, J. C. Hollers, E. Crockett-Torabi, and C. W. Smith* 1687

Interleukin 4 inhibits in vitro proliferation of leukemic and normal human B cell precursors. *D. Pandrau, S. Saeland, V. Duvert, I. Durand, A.-M. Manel, M.-T. Zabot, N. Philippe, and J. Banchereau* 1697

Balloon angioplasty enhances the expression of angiotensin II AT_1 receptors in neointima of rat aorta. *M. Viswanathan, C. Strömberg, A. Seltzer, and J. M. Saavedra* 1707

Homozygous 4.1 (–) hereditary elliptocytosis associated with a point mutation in the downstream initiation codon of protein 4.1 gene. *N. Dalla Venezia, F. Gilsanz, N. Alloisio, M.-T. Ducluzeau, E. J. Benz, Jr., and J. Delaunay* 1713

Endogenously synthesized nitric oxide prevents endotoxin-induced glomerular thrombosis. *P. J. Shultz and L. Raij* . . 1718

Cloning, characterization, and expression of a human calcitonin receptor from an ovarian carcinoma cell line. *A. H. Gorn, H. Y. Lin, M. Yamin, P. E. Auron, M. R. Flannery, D. R. Tapp, C. A. Manning, H. F. Lodish, S. M. Krane, and S. R. Goldring* 1726

Neuroendocrine mechanism of onset of puberty. Sequential reduction in activity of inhibitory and facilitatory *N*-methyl-D-aspartate receptors. *J.-P. Bourguignon, A. Gérard, M.-L. A. Gonzalez, and P. Franchimont* 1736

Blood volume and body fluid compartments in lambs with aortopulmonary left-to-right shunts. *J. W. C. Gratama, M. Dalinghaus, J. J. Meuzelaar, A. M. Gerding, J. H. Koers, W. G. Zijlstra, and J. R. G. Kuipers* 1745

Epitope regions on U1 small nuclear RNA recognized by anti-U1RNA–specific autoantibodies. *R. M. Hoet, P. De Weerd, J. K. Gunnewiek, I. Koornneef, and W. J. Van Venrooij* 1753

Pharmacological tolerance to α_1-adrenergic receptor antagonism mediated by terazosin in humans. *J. Vincent, W. Dachman, T. F. Blaschke, and B. B. Hoffman* 1763

Importance of peripheral insulin levels for insulin-induced suppression of glucose production in depancreatized dogs. *A. Giacca, S. J. Fisher, Z. Q. Shi, R. Gupta, H. L. A. Lickley, and M. Vranic* 1769

Mesenchymal cells isolated after acute lung injury manifest an enhanced proliferative phenotype. *B. Chen, V. Polunovsky, J. White, B. Blazar, R. Nakhleh, J. Jessurun, M. Peterson, and P. Bitterman* 1778

Effects of transforming growth factor-β on murine astrocyte glutamine synthetase activity. Implications in neuronal injury. *C. C. Chao, S. Hu, M. Tsang, J. Weatherbee, T. W. Molitor, W. R. Anderson, and P. K. Peterson* 1786

Cardiac contractile dysfunction during mild coronary flow reductions is due to an altered calcium–pressure relationship in rat hearts. *V. M. Figueredo, R. Brandes, M. W. Weiner, B. M. Massie, and S. A. Camacho* 1794

Acquisition and synthesis of folates by obligate intracellular bacteria of the genus *Chlamydia*. *H. Fan, R. C. Brunham, and G. McClarty* 1803

Inhibition of lung epithelial cell proliferation by hyperoxia. Posttranscriptional regulation of proliferation-related genes. *A. Clement, M. Edeas, K. Chadelat, and J. S. Brody* 1812

Uptake of toxic silica particles by isolated rat liver macrophages (Kupffer cells) is receptor mediated and can be blocked by competition. *V. Kolb-Bachofen* 1819

New insights on the mechanism(s) of the dominant negative effect of mutant thyroid hormone receptor in generalized resistance to thyroid hormone. *P. M. Yen, A. Sugawara, S. Refetoff, and W. W. Chin* 1825

High levels of circulating cytomegalovirus DNA reflect visceral organ disease in viremic immunosuppressed patients other than marrow recipients. *R. L. Saltzman, M. R. Quirk, and M. C. Jordan* 1832

Regulation of insulin receptor substrate-1 in liver and muscle of animal models of insulin resistance. *M. J. A. Saad, E. Araki, M. Miralpeix, P. L. Rothenberg, M. F. White, and C. R. Kahn* 1839

Ion channels in human erythroblasts. Modulation by erythropoietin. *J. Y. Cheung, M. Elensky, U. Brauneis, R. C. Scaduto, Jr., L. L. Bell, D. L. Tillotson, and B. A. Miller* 1850

Induction of thrombospondin 1 by retinoic acid is important during differentiation of neuroblastoma cells. *V. P. Castle, X. Ou, S. O'Shea, and V. M. Dixit* 1857

Animal cell mutants represent two complementation groups of peroxisome-defective Zellweger syndrome. *N. Shimozawa, T. Tsukamoto, Y. Suzuki, T. Orii, and Y. Fujiki* 1864

Identification of Rifampin-inducible P450IIIA4 (CYP3A4) in human small bowel enterocytes. *J. C. Kolars, P. Schmiedlin-Ren, J. D. Schuetz, C. Fang, and P. B. Watkins* 1871

Structure-function relationships of interleukin-3. An analysis based on the function and binding characteristics of a series of interspecies chimera of gibbon and murine interleukin-3. *K. Kaushansky, S. G. Shoemaker, V. C. Broudy, N. L. Lin, J. V. Matous, E. M. Alderman, J. D. Aghajanian, P. J. Szklut, R. E. VanDyke, M. K. Pearce, and J. S. Abrams* 1879

Mechanism of hypertriglyceridemia in human apolipoprotein (Apo) CIII transgenic mice. Diminished very low density lipoprotein fractional catabolic rate associated with increased Apo CIII and reduced Apo E on the particles. *K. Aalto-Setälä, E. A. Fisher, X. Chen, T. Chajek-Shaul, T. Hayek, R. Zechner, A. Walsh, R. Ramakrishnan, H. N. Ginsberg, and J. L. Breslow* 1889

Macrophages, T cell receptor usage, and endothelial cell activation in the pancreas at the onset of insulin-dependent diabetes mellitus. *A. Hänninen, S. Jalkanen, M. Salmi, S. Toikkanen, G. Nikolakaros, and O. Simell* 1901

Interphase cytogenetics for the detection of the t(11;22)(q24;q12) in small round cell tumors. *M. Giovannini, L. Selleri, J. A. Biegel, K. Scotlandi, B. S. Emanuel, and G. A. Evans* 1911

Distinct sites of production and deposition of the putative cell death marker clusterin in the human thymus. *L. E. French, A.-P. Sappino, J. Tschopp, and J. A. Schifferli* 1919

Regulation of insulin-like growth factor-I and its receptor in rat aorta after balloon denudation. Evidence for local bioactivity. *M. J. Khorsandi, J. A. Fagin, D. Giannella-Neto, J. S. Forrester, and B. Cercek* 1926

Intraglomerular pressure and mesangial stretching stimulate extracellular matrix formation in the rat. *B. L. Riser, P. Cortes, X. Zhao, J. Bernstein, F. Dumler, and R. G. Narins,* 1932

Interleukin-2 and interleukin-2 receptor expression in human corticotrophic adenoma and murine pituitary cell cultures. *E. Arzt, G. Stelzer, U. Renner, M. Lange, O. A. Müller, and G. K. Stalla* 1944

Distinct localization of collagenase and tissue inhibitor of metalloproteinases expression in wound healing associated with ulcerative pyogenic granuloma. *U. K. Saarialho-Kere, E. S. Chang, H. G. Welgus, and W. C. Parks* 1952

Distribution of apolipoprotein(a) in the plasma from patients with lipoprotein lipase deficiency and with type III hyperlipoproteinemia. No evidence for a triglyceride-rich precursor of lipoprotein(a). *C. Sandholzer, G. Feussner, J. Brunzell, and G. Utermann* 1958

Natriuretic peptide receptor mRNAs in the rat and human heart. *D. J. R. Nunez, M. C. Dickson, and M. J. Brown* . . . 1966

Compartmentation of hexokinase in rat heart. A critical factor for tracer kinetic analysis of myocardial glucose metabolism. *R. R. Russell III, J. M. Mrus, J. I. Mommessin, and H. Taegtmeyer* 1972

Alterations in the protein composition of maturing phagosomes. *A. Pitt, L. S. Mayorga, P. D. Stahl, and A. L. Schwartz* 1978

Human milk mucin inhibits rotavirus replication and prevents experimental gastroenteritis. *R. H. Yolken, J. A. Peterson, S. L. Vonderfecht, E. T. Fouts, K. Midthun, and D. S. Newburg* 1984

Glucose-induced downregulation of angiotensin II and arginine vasopressin receptors in cultured rat aortic vascular smooth muscle cells. Role of protein kinase C. *B. Williams, P. Tsai, and R. W. Schrier* 1992

Expression and localization of proteins of the complement system in human skin. *N. Dovezenski, R. Billetta, and I. Gigli* 2000

Lipoprotein lipase enhances binding of lipoproteins to heparan sulfate on cell surfaces and extracellular matrix. *S. Eisenberg, E. Sehayek, T. Olivecrona, and I. Vlodavsky* 2013

Verapamil ameliorates the clinical and pathological course of murine myocarditis. *R. Dong, P. Liu, L. Wee, J. Butany, and M. J. Sole* 2022

Leukemia inhibitory factor levels are elevated in septic shock and various inflammatory body fluids. *P. Waring, K. Wycherley, D. Cary, N. Nicola, and D. Metcalf* 2031

An amino acid polymorphism within the RGD binding domain of platelet membrane glycoprotein IIIa is responsible for the formation of the Pen^a/Pen^b alloantigen system. *R. Wang, K. Furihata, J. G. McFarland, K. Friedman, R. H. Aster, and P. J. Newman* 2038

Inhibition of smooth muscle cell proliferation in injured rat arteries. Interaction of heparin with basic fibroblast growth factor. *V. Lindner, N. E. Olson, A. W. Clowes, and M. A. Reidy* 2044

Low molecular weight iron and the oxygen paradox in isolated rat hearts. *A. Voogd, W. Sluiter, H. G. van Eijk, and J. F. Koster* 2050

Role of transforming growth factor-β in maintenance of function of cultured neonatal cardiac myocytes. Autocrine action and reversal of damaging effects of interleukin-1. *A. B. Roberts, N. S. Roche, T. S. Winokur, J. K. Burmester, and M. B. Sporn* 2056

Enhancement of fibrinolysis in vitro by ultrasound. *C. W. Francis, P. T. Önundarson, E. L. Carstensen, A. Blinc, R. S. Meltzer, K. Schwarz, and V. J. Marder* 2063

Retinoid protection against X-ray–induced chromatid damage in human peripheral blood lymphocytes. *K. K. Sanford, R. Parshad, F. M. Price, R. E. Tarone, and K. H. Kraemer* 2069

Immune complex processing in patients with systemic lupus erythematosus. In vivo imaging and clearance studies. *K. A. Davies, A. M. Peters, H. L. C. Beynon, and M. J. Walport* 2075

Plasma lipoprotein metabolism in transgenic mice overexpressing apolipoprotein E. Accelerated clearance of lipoproteins containing apolipoprotein B. *H. Shimano, N. Yamada, M. Katsuki, K. Yamamoto, T. Gotoda, K. Harada, M. Shimada, and Y. Yazaki* 2084

Rapid Publications

Molecular cloning and characterization of the constitutive bovine aortic endothelial cell nitric oxide synthase. *K. Nishida, D. G. Harrison, J. P. Navas, A. A. Fisher, S. P. Dockery, M. Uematsu, R. M. Nerem, R. W. Alexander, and T. J. Murphy* 2092

Mutations in the ligand-binding domain of the androgen receptor gene cluster in two regions of the gene. *M. J. McPhaul, M. Marcelli, S. Zoppi, C. M. Wilson, J. E. Griffin, and J. D. Wilson* 2097

Novel Fcγ receptor I family gene products in human mononuclear cells. *A. J. Porges, P. B. Redecha, R. Doebele, L. C. Pan, J. E. Salmon, and R. P. Kimberly* 2102

Hepatic uptake of a modified low molecular weight heparin in rats. *G. Stehle, E. A. Friedrich, H. Sinn, A. Wunder, J. Harenberg, C. E. Dempfle, W. Maier-Borst, and D. L. Heene* 2110

Human insulin-like growth factor I receptor function in pituitary cells is suppressed by a dominant negative mutant. *D. Prager, H. Yamasaki, M. M. Weber, S. Gebremedhin, and S. Melmed* 2117

Oxygen radical scavengers selectivity inhibit interleukin 8 production in human whole blood. *L. E. DeForge, J. C. Fantone, J. S. Kenney, and D. G. Remick* 2123

Two distinct mechanisms for bilirubin glucuronide transport by rat bile canalicular membrane vesicles. Demonstration of defective ATP-dependent transport in rats (TR–) with inherited conjugated hyperbilirubinemia. *T. Nishida, Z. Gatmaitan, J. Roy-Chowdhry, and I. M. Arias* 2130

Cytomegalovirus immediate early genes prevent the inhibitory effect of cyclosporin A on interleukin 2 gene transcription. *L. J. Geist, M. M. Monick, M. F. Stinski, and G. W. Hunninghake* 2136

November Author Index 2141

Addendum 2143

Contents

The Journal of Clinical Investigation
December 1992, Volume 90, Number 6

Regular Articles

Oxygen modulates prostacyclin synthesis in ovine fetal pulmonary arteries by an effect on cyclooxygenase. *P. W. Shaul, W. B. Campbell, M. A. Farrar, and R. R. Magness* 2147

Detection of a new mutation in the β-myosin heavy chain gene in an individual with hypertrophic cardiomyopathy. *A. J. Marian, Q.-T. Yu, A. Mares, Jr., R. Hill, R. Roberts, and M. B. Perryman* 2156

Suramin rapidly alters cellular tyrosine phosphorylation in prostate cancer cell lines. *O. Sartor, C. A. McLellan, C. E. Myers, and M. M. Borner* 2166

Lipolytic catecholamine resistance due to decreased β_2-adrenoceptor expression in fat cells. *F. Lönnqvist, H. Wahrenberg, L. Hellström, S. Reynisdottir, and P. Arner* 2175

Interaction of the *Pseudomonas aeruginosa* secretory products pyocyanin and pyochelin generates hydroxyl radical and causes synergistic damage to endothelial cells. Implications for *Pseudomonas*-associated tissue injury. *B. E. Britigan, T. L. Roeder, G. T. Rasmussen, D. M. Shasby, M. L. McCormick, and C. D. Cox* . . . 2187

Sequence analyses of three immunoglobulin G anti–virus antibodies reveal their utilization of autoantibody-related immunoglobulin Vh genes, but not Vλ genes. *D.-F. Huang, T. Olee, Y. Masuho, Y.-i. Matsumoto, D. A. Carson, and P. P. Chen* 2197

Lipopolysaccharide binding protein enhances the responsiveness of alveolar macrophages to bacterial lipopolysaccharide. Implications for cytokine production in normal and injured lungs. *T. R. Martin, J. C. Mathison, P. S. Tobias, D. J. Leturcq, A. M. Moriarty, R. J. Maunder, and R. J. Ulevitch* . . . 2209

Beta cell expression of endogenous xenotropic retrovirus distinguishes diabetes-susceptible NOD/Lt from resistant NON/Lt mice. *H. R. Gaskins, M. Prochazka, K. Hamaguchi, D. V. Serreze, and E. H. Leiter* 2220

Cyclic adenosine monophosphate prevents the glucocorticoid-mediated inhibition of insulin gene expression in rodent islet cells. *J. Philippe, E. Giordano, A. Gjinovci, and P. Meda* 2228

Insulin-like growth factor-I improves glucose and lipid metabolism in type 2 diabetes mellitus. *P. D. Zenobi, S. E. Jaeggi-Groisman, W. F. Riesen, M. E. Røder, and E. R. Froesch* 2234

Age-dependent HLA genetic heterogeneity of type 1 insulin-dependent diabetes mellitus. *S. Caillat-Zucman, H.-J. Garchon, J. Timsit, R. Assan, C. Boitard, I. Djilali-Saiah, P. Bougnères, and J.-F. Bach* 2242

Entactin stimulates neutrophil adhesion and chemotaxis through interactions between its Arg-Gly-Asp (RGD) domain and the leukocyte response integrin. *R. M. Senior, H. D. Gresham, G. L. Griffin, E. J. Brown, and A. E. Chung* 2251

O-linked carbohydrate of recombinant von Willebrand factor influences ristocetin-induced binding to platelet glycoprotein 1b. *J. A. Carew, S. M. Quinn, J. H. Stoddart, and D. C. Lynch* 2258

Studies of the articular cartilage proteoglycan aggrecan in health and osteoarthritis. Evidence for molecular heterogeneity and extensive molecular changes in disease. *G. Rizkalla, A. Reiner, E. Bogoch, and A. R. Poole* . . . 2268

Role of protein kinase C in parathyroid hormone stimulation of renal 1,25-dihydroxyvitamin D_3 secretion. *M. Janulis, V. Tembe, and M. J. Favus* 2278

Human pancreatitis-associated protein. Messenger RNA cloning and expression in pancreatic diseases. *B. Orelle, V. Keim, L. Masciotra, J.-C. Dagorn, and J.-L. Iovanna* 2284

Function of pulmonary M_2 muscarinic receptors in antigen-challenged guinea pigs is restored by heparin and poly-L-glutamate. *A. D. Fryer and D. B. Jacoby* 2292

Anomalous rearrangements of the immunoglobulin heavy chain genes in human leukemias support the loop-out mechanism of class switch. *M. Laffan and L. Luzzatto* 2299

Mesangial cell immune injury. Hemodynamic role of leukocyte- and platelet-derived eicosanoids. *B. A. Bresnahan, S. Wu, F. J. Fenoy, R. J. Roman, and E. A. Lianos* 2304

Liposome-mediated transfection of intact viral particles reveals that plasma membrane penetration determines permissivity of tissue culture cells to rotavirus. *D. M. Bass, M. R. Baylor, C. Chen, E. M. Mackow, M. Bremont, and H. B. Greenberg* 2313

Adenosine triphosphate–dependent taurocholate transport in human liver plasma membranes. *H. Wolters, F. Kuipers, M. J. H. Slooff, and R. J. Vonk* 2321

Detection, characterization, and bioavailability of membrane-associated iron in the intact sickle red cell. *T. Sugihara, T. Repka, and R. P. Hebbel* 2327

Hypoxia-mediated induction of endothelial cell interleukin-1α. An autocrine mechanism promoting expression of leukocyte adhesion molecules on the vessel surface. *R. Shreeniwas, S. Koga, M. Karakurum, D. Pinsky, E. Kaiser, J. Brett, B. A. Wolitzky, C. Norton, J. Plocinski, W. Benjamin, D. K. Burns, A. Goldstein, and D. Stern* 2333

Characterization of an acquired inhibitor to coagulation Factor V. Antibody binding to the second C-type domain of Factor V inhibits the binding of Factor V to phosphatidylserine and neutralizes procoagulant activity. *T. L. Ortel, M. A. Quinn-Allen, L. A. Charles, D. Devore-Carter, and W. H. Kane* 2340

Insulin sensitivity of protein and glucose metabolism in human forearm skeletal muscle. *R. J. Louard, D. A. Fryburg, R. A. Gelfand, and E. J. Barrett* 2348

The HLA-DRB1 locus as a genetic component in giant cell arteritis. Mapping of a disease-linked sequence motif to the antigen binding site of the HLA-DR molecule. *C. M. Weyand, K. C. Hicok, G. G. Hunder, and J. J. Goronzy* 2355

Rat glomerular mesangial cells synthesize basic fibroblast growth factor. Release, upregulated synthesis, and mitogenicity in mesangial proliferative glomerulonephritis. *J. Floege, E. Eng, V. Lindner, C. E. Alpers, B. A. Young, M. A. Reidy, and R. J. Johnson* 2362

Altered epitope expression of human interstitial fluid apolipoprotein A-I reduces its ability to activate lecithin cholesterol acyl transferase. *L. Wong, L. K. Curtiss, J. Huang, C. J. Mann, B. Maldonado, and P. S. Roheim* 2370

Gas exchange by intratracheal insufflation in a ventilatory failure dog model. *N. Gavriely, D. Eckmann, and J. B. Grotberg* 2376

Interleukin 1β induces the formation of nitric oxide by β-cells purified from rodent islets of Langerhans. Evidence for the β-cell as a source and site of action of nitric oxide. *J. A. Corbett, J. L. Wang, M. A. Sweetland, J. R. Lancaster, Jr., and M. L. McDaniel* 2384

Epidermal growth factor receptor distribution in burn wounds. Implications for growth factor–mediated repair. *B. A. Wenczak, J. B. Lynch, and L. B. Nanney* 2392

Plasticity of neuroblastoma tumor cells to differentiate along a fetal adrenal ganglionic lineage predicts for improved patient survival. *M. J. Cooper, S. M. Steinberg, J. Chatten, A. E. Evans, and M. A. Israel* 2402

Transforming growth factor α protection against drug-induced injury to the rat gastric mucosa in vivo. *M. Romano, W. H. Polk, J. A. Awad, C. L. Arteaga, L. B. Nanney, M. J. Wargovich, E. R. Kraus, C. R. Boland, and R. J. Coffey* 2409

Pleiotropic effects of antithrombin strand 1C substitution mutations. *D. A. Lane, R. J. Olds, J. Conard, M. Boisclair, S. C. Bock, M. Hultin, U. Abildgaard, H. Ireland, E. Thompson, G. Sas, M. H. Horellou, G. Tamponi, and S.-L. Thein* 2422

Estrogen receptors and biologic response in rat parathyroid tissue and C cells. *T. Naveh-Many, G. Almogi, N. Livni, and J. Silver* 2434

Impaired secretion of the elongated mutant of protein C (protein C-Nagoya). Molecular and cellular basis for hereditary protein C deficiency. *K. Yamamoto, M. Tanimoto, N. Emi, T. Matsushita, J. Takamatsu, and H. Saito* 2439

T cells in the lesion of experimental autoimmune encephalomyelitis. Enrichment for reactivities to myelin basic protein and to heat shock proteins. *F. Mor and I. R. Cohen* 2447

Chronic metabolic acidosis increases the serum concentration of 1,25-dihydroxyvitamin D in humans by stimulating its production rate. Critical role of acidosis-induced renal hypophosphatemia. *R. Krapf, R. Vetsch, W. Vetsch, and H. N. Hulter* 2456

Estrogen status and heredity are major determinants of premenopausal bone mass. *R. Armamento-Villareal, D. T. Villareal, L. V. Avioli, and R. Civitelli* 2464

Cytoskeleton-dependent endocytosis is required for apical type 1 angiotensin II receptor–mediated phospholipase C activation in cultured rat proximal tubule cells. *J. R. Schelling, A. S. Hanson, R. Marzec, and S. L. Linas* 2472

Germline variable region gene segment derivation of human monoclonal anti-Rh (D) antibodies. Evidence for affinity maturation by somatic hypermutation and repertoire shift. *J. M. Bye, C. Carter, Y. Cui, B. D. Gorick, S. Songsivilai, G. Winter, N. C. Hughes-Jones, and J. D. Marks* 2481

Immunopotentiating reconstituted influenza virus virosome vaccine delivery system for immunization against hepatitis A. *R. Glück, R. Mischler, S. Brantschen, M. Just, B. Althaus, and S. J. Cryz, Jr.* 2491

Prepubertal increases in gonadotropin-releasing hormone mRNA, gonadotropin-releasing hormone precursor, and subsequent maturation of precursor processing in male rats. *C. M. Dutlow, J. Rachman, T. W. Jacobs, and R. P. Millar* 2496

Formation of novel non–cyclooxygenase-derived prostanoids (F_2-isoprostanes) in carbon tetrachloride hepatotoxicity. An animal model of lipid peroxidation. *J. D. Morrow, J. A. Awad, T. Kato, K. Takahashi, K. F. Badr, L. J. Roberts II, and R. F. Burk* 2502

Fibrinogen degradation product fragment D induces endothelial cell detachment by activation of cell-mediated fibrinolysis. *M. Ge, G. Tang, T. J. Ryan, and A. B. Malik* 2508

CD10/neutral endopeptidase 24.11 in developing human fetal lung. Patterns of expression and modulation of peptide-mediated proliferation. *M. E. Sunday, J. Hua, J. S. Torday, B. Reyes, and M. A. Shipp* 2517

Neutrophil adherence induced by lipopolysaccharide in vitro. Role of plasma component interaction with lipopolysaccharide. *G. S. Worthen, N. Avdi, S. Vukajlovich, and P. S. Tobias* 2526

Binding of type 3 reovirus by a domain of the σ1 protein important for hemagglutination leads to infection of murine erythroleukemia cells. *D. H. Rubin, J. D. Wetzel, W. V. Williams, J. A. Cohen, C. Dworkin, and T. S. Dermody* 2536

Loss of the common "A" determinant of hepatitis B surface antigen by a vaccine-induced escape mutant. *J. A. Waters, M. Kennedy, P. Voet, P. Hauser, J. Petre, W. Carman, and H. C. Thomas* 2543

Inhibition and stimulation of nitric oxide synthesis in the human forearm arterial bed of patients with insulin-dependent diabetes. *A. Calver, J. Collier, and P. Vallance* 2548

Local secretion of corticotropin-releasing hormone in the joints of Lewis rats with inflammatory arthritis. *L. J. Crofford, H. Sano, K. Karalis, E. L. Webster, E. A. Goldmuntz, G. P. Chrousos, and R. L. Wilder* . . 2555

Oxidation of a specific methionine in thrombomodulin by activated neutrophil products blocks cofactor activity. A potential rapid mechanism for modulation of coagulation. *C. B. Glaser, J. Morser, J. H. Clarke, E. Blasko, K. McLean, I. Kuhn, R.-J. Chang, J.-H. Lin, L. Vilander, W. H. Andrews, and D. R. Light* 2565

Can "big" insulin-like growth factor II in serum of tumor patients account for the development of extrapancreatic tumor hypoglycemia? *J. Zapf, E. Futo, M. Peter, and E. R. Froesch* 2574

Human *Toxoplasma gondii*–specific secretory immunoglobulin A reduces *T. gondii* infection of enterocytes in vitro. *D. G. Mack and R. McLeod* . . . 2585

Rapid Publications

Endonuclease-induced DNA damage and cell death in oxidant injury to renal tubular epithelial cells. *N. Ueda and S. V. Shah* 2593

In vivo retroviral gene transfer into human bronchial epithelia of xenografts. *J. F. Engelhardt, J. R. Yankaskas, and J. M. Wilson* 2598

December Author Index 2608

Correction 2609

Author Index to Volume 90 2611